



# Asbestos Bulk Sample Report

36 West Q Street Springfield, Oregon 97477 541-988-9823 fax. 541-988-9833

## Project information

Date: 04.29.2016

Client:	LANE REGIONAL AIR PROTECTION AGENCY	Client address:	1010 MAIN STREET, SPRINGFIELD, OR 97477
Client project No.		Attention:	KIM SINGLETON
Project location:	85961 EDENVALE RD PLEASANT HILL OR 97455	Method of analysis:	PLM
No. Samples received:	9	No. Samples Processed:	9
Turnaround:	RUSH	Site sampling agent:	KIM SINGLETON
Samples analyzed by:	AARON SPECK	Report disposition:	FINAL

Sample No: 1

Lab ID: NWH16BK-20071

Location:	WINDOW PUTTY #1
Asbestos Analysis:	30% CHRYSOTILE ASBESTOS
Physical Description:	GREY MATERIAL
Non-Fibrous Materials:	70%
Other Fibrous Materials:	0%
Comments:	

Sample No: 2

Lab ID: NWH16BK-20072

Location:	WINDOW PUTTY #2
Asbestos Analysis:	25% CHRYSOTILE ASBESTOS
Physical Description:	GREY MATERIAL
Non-Fibrous Materials:	75%
Other Fibrous Materials:	0%
Comments:	

Note: NAD means No Asbestos Detected. If submitted samples are non-homogeneous in nature, then subsamples of the components will be analyzed separately. Because of equipment/measurement limitations, asbestos fiber content will be unable to be determined in some samples. Those samples determined to contain asbestos fibers, will have the following measurement percentage ranges (1% = 0-3%, 5% = 1-9%, 10% = 5-15%, 20% = 10-30%, 50% = 40-60%) as specified per EPA method 600/R-93/116. If samples are not collected by NW Hazmat Inc. Personnel, then the accuracy of results will be determined by the methodology and acuity of the sample collector.



# Asbestos Bulk Sample Report

36 West Q Street Springfield, Oregon 97477 541-988-9823 fax. 541-988-9833

Sample No: **3**

Lab ID: **NWH16BK-20073**

Location:	<b>ROOFING #1</b>
Asbestos Analysis:	<b>5% CHRYSOTILE ASBESTOS</b>
Physical Description:	BLACK/SILVER/WHITE MATERIAL
Non-Fibrous Materials:	94%
Other Fibrous Materials:	1% CELLULOSE
Comments:	

Sample No: **4**

Lab ID: **NWH16BK-20074**

Location:	<b>ROOFING #2</b>
Asbestos Analysis:	<b>3% CHRYSOTILE ASBESTOS</b>
Physical Description:	BLACK/SILVER/WHITE MATERIAL
Non-Fibrous Materials:	96%
Other Fibrous Materials:	1% CELLULOSE
Comments:	

Sample No: **5**

Lab ID: **NWH16BK-20075**

Location:	<b>CEILING #1</b>
Asbestos Analysis:	<b>NAD</b>
Physical Description:	BROWN MATERIAL
Non-Fibrous Materials:	5%
Other Fibrous Materials:	95% CELLULOSE/WOOD FIBERS
Comments:	

Sample No: **6**

Lab ID: **NWH16BK-20076**

Location:	<b>CEILING #2</b>
Asbestos Analysis:	<b>NAD</b>
Physical Description:	WHITE/BROWN MATERIAL
Non-Fibrous Materials:	99%
Other Fibrous Materials:	1% CELLULOSE
Comments:	

Note: NAD means No Asbestos Detected. If submitted samples are non-homogeneous in nature, then subsamples of the components will be analyzed separately. Because of equipment/measurement limitations, asbestos fiber content will be unable to be determined in some samples. Those samples determined to contain asbestos fibers, will have the following measurement percentage ranges (1% = 0-3%, 5% = 1-9%, 10% = 5-15%, 20% = 10-30%, 50% = 40-60%) as specified per EPA method 600/R-93/116. If samples are not collected by NW Hazmat Inc. Personnel, then the accuracy of results will be determined by the methodology and acuity of the sample collector.



# Asbestos Bulk Sample Report

36 West Q Street Springfield, Oregon 97477 541-988-9823 fax. 541-988-9833

Sample No: **7**

Lab ID: **NWH16BK-20077**

Location:	<b>FLOORING #1</b>
Asbestos Analysis:	<b>NAD</b>
Physical Description:	BROWN WITH BLACK BACKING
Non-Fibrous Materials:	99%
Other Fibrous Materials:	1% OTHER FIBERS
Comments:	

Sample No: **8**

Lab ID: **NWH16BK-20078**

Location:	<b>FLOORING #2</b>
Asbestos Analysis:	<b>NAD</b>
Physical Description:	WHITE/TAN WITH BROWN BACKING
Non-Fibrous Materials:	60%
Other Fibrous Materials:	40% CELLULOSE
Comments:	

Sample No: **9**

Lab ID: **NWH16BK-20079**

Location:	<b>FOAM</b>
Asbestos Analysis:	<b>NAD</b>
Physical Description:	WHITE WITH BROWN BACKING
Non-Fibrous Materials:	90%
Other Fibrous Materials:	10% CELLULOSE
Comments:	

Note: NAD means No Asbestos Detected. If submitted samples are non-homogeneous in nature, then subsamples of the components will be analyzed separately. Because of equipment/measurement limitations, asbestos fiber content will be unable to be determined in some samples. Those samples determined to contain asbestos fibers, will have the following measurement percentage ranges (1% = 0-3%, 5% = 1-9%, 10% = 5-15%, 20% = 10-30%, 50% = 40-60%) as specified per EPA method 600/R-93/116. If samples are not collected by NW Hazmat Inc. Personnel, then the accuracy of results will be determined by the methodology and acuity of the sample collector.

**TRIANGLE ENVIRONMENTAL SERVICE CENTER, INC.**

**13509 East Boundary Road, Suite B • Midlothian • VA • 13112**

**Tel: 804-739-1751 • Fax: 804-739-1753**

**SUMMARY OF BULK ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY**

CLIENT: Northwest Hazmat, Inc.  
36 W. Q Street  
Springfield, OR 97477

TESC LOGIN#: 160502J

DATE OF RECEIPT: 05/02/16

DATE OF ANALYSIS: 05/02/16

DATE OF REPORT: 05/02/16

CLIENT PROJECT#: LRAPA  
85961 Edenvale Rd., Pleasant Hill, OR

TAT: **6-8 Hour TAT Results**

ANALYST: B. Schrage

TESC SAMPLE #	CLIENT SAMPLE #	SAMPLE WEIGHT(GRAM)	HEAT SENSITIVE ORGANIC %	ACID SOLUBLE INORGANIC %	INSOLUBLE NON-ASBESTOS INORGANIC %	ASBESTOS % by TEM
1	1	0.164	23.7	8.1	68.3	NAD
2	2	0.248	29.8	41.3	27.7	Chrysotile 1.2

**Total Sample(s) Analyzed: 2**

This report must not be reproduced except in full with the approval of TESC, Inc. The test report relates only to the item(s) tested. This test was performed by NVLAP accredited TEM lab. **NVLAP Lab ID # 101904-0**. TEM analysis by EPA 600/R-93/116 (not covered by NVLAP Bulk accreditation).

[**LEGEND:** NAD= No Asbestos Detected; NA= Not Analyzed; PS= Positive Stop; Trace= < 1%; NVA=No Visual Asbestos]

**Reviewed By Authorized Signatory:**



*Feng Jiang, MS, Senior Geologist, Laboratory Director*

**TEST LOGGING NUMBER**

TRIANGLE ENVIRONMENTAL SERVICE CENTER

15549 Fox Cove Circle Moseley, VA 23120

(804)739-1751 fax:(804)739-1753

## LABORATORY CHAIN OF CUSTODY

LAB CLIENT: **NORTHWEST HAZMAT, INC.**

ADDRESS: **36 W. Q STREET**

CITY, STATE, ZIP: **SPRINGFIELD, OR 97477**

PREFERRED CONTACT METHOD:

Phone: 

FAX:

**X** Email: Aspeck@rnhazmat.com

TAT:

☒ Rush

24hours

3-5 days

DATE:

CONTACT NAME: Aaron Snack

SAMPLER NAME: Kim Siobhan

PROJECT: L-RAPA

85961	Edwards	123	Planet Hill	DR
-------	---------	-----	-------------	----

[illegible]